

JULY – SEPTEMBER 2022

# CAN-DO COMES IN RED



**CASE IH**

# FARMALL® SERIES TRACTORS



**FARMALL 100A PRO**  
92–118 PTO HP



**FARMALL COMPACT A**  
28–34 PTO HP



**FARMALL COMPACT C**  
28–46.6 PTO HP



**FARMALL UTILITY A**  
45–100 PTO HP



**FARMALL UTILITY C**  
50–100 PTO HP




**FARMALL N & V**  
62–93 PTO HP



**FARMALL UTILITY U**  
93–100 PTO HP

# THE REVOLUTION

In 1923, International Harvester files patent applications for the first Farmall tractor, and hand builds 22 for testing by farmers. Thousands of horses will soon be out of work.



## “ROW-CROP” TRACTOR



The narrow front wheels on the Farmall fit between crop rows, and high rear wheels clear tall row crops like corn and cotton. Row crop tractors remain popular today.

## ONE TRACTOR DOES IT ALL

First-of-its-kind “all purpose” design allows farmers to attach various implements in the front and back – instead of buying separate machines.



## DESIGNED FOR THE FIELD

The narrow frame on the Farmall aids visibility around crop rows. This lighter design is complemented with a high power-to-weight ratio to increase productivity.



**ASK US  
ABOUT** **0%**  
FINANCING  
OPTIONS\*

ON NEW FARMALL® UTILITY A TRACTORS

# FARMALL

## UTILITY A SERIES TRACTORS

Farmall 55A–75A

### KEY FEATURES

- Tier 4 B/Final with 3-cylinder, FPT turbocharged & aftercooled engine
- Standard 8×8 mechanical transmission, optional 12×12 clutchless power shuttle or 12×12 with creeper option
- 2WD or MFD front axle
- Two standard rear remotes for easy hookup of hydraulic tools, plus an optional third rear remote
- Standard high visibility roof panel and radio ready on cab configurations

### FARMALL UTILITY 55A–75A TRACTORS

MODELS	PTO HP <sup>1</sup>
55A (cab)	43
65A (cab)	51
75A (non-cab & cab)	60

<sup>1</sup> PTO HP at 2,300 RPM

**CONTACT US TODAY!**  
[www.caseih.com/specialoffers](http://www.caseih.com/specialoffers)

\*For commercial use only. Customer participation subject to credit qualification and approval by CNH Industrial Capital America LLC. See your participating Case IH dealer for details and eligibility requirements. Dealer participation is required. Down payment may be required. Not all customers or applicants may qualify for this rate or term. CNH Industrial Capital America LLC. standard terms and conditions will apply. Offer subject to change or cancellation without notice.



**ASK US  
ABOUT** **0%** FINANCING  
OPTIONS\*  
ON NEW FARMALL® UTILITY C TRACTORS

# FARMALL

## UTILITY C SERIES TRACTORS

Farmall 65C & 75C

### KEY FEATURES

- 4-cylinder, 3.4-L FPT engine (Tier 4 B/Final)
- Standard 12×12 power shuttle transmission or optional 12×12 with creeper
- Standard 2 rear remotes, plus an optional third remote
- Standard instructor seat (cab configurations)
- Standard Bluetooth® radio (cab configurations)

### FARMALL UTILITY 65C & 75C TRACTORS

MODELS	PTO HP <sup>1</sup>
65C (cab)	50
75C (non-cab & cab)	64

<sup>1</sup> PTO HP at 2,300 RPM

**CONTACT US TODAY!**  
[www.caseih.com/specialoffers](http://www.caseih.com/specialoffers)

\*For commercial use only. Customer participation subject to credit qualification and approval by CNH Industrial Capital America LLC. See your participating Case IH dealer for details and eligibility requirements. Dealer participation is required. Down payment may be required. Not all customers or applicants may qualify for this rate or term. CNH Industrial Capital America LLC. standard terms and conditions will apply. Offer subject to change or cancellation without notice.

# GOOD

**STANDARD** MEDIUM UTILITY

## UTILITY A SERIES

FARMALL UTILITY 95A / 105A / 115A | 97–120 ENGINE HP<sup>1</sup>

The Farmall utility 95A, 105A and 115A models are efficient all-around chore tractors for small farms, rural estates, large mixed farms, and commercial or municipal applications.

### STANDARD FEATURES:

- 4-cylinder, 3.4-L engine (Tier 4 B/Final)
- 12×12 power shuttle transmission (creeper-ready)
- Two rear remotes
- Instructor seat (cab configurations)
- High visibility roof panel (cab configurations)
- Bluetooth radio (cab configurations)
- 3200 lb. rear hitch lift capacity
- 540 PTO only

### OPTIONAL FEATURES:

- 540/540E or 540/1000 PTO
- Third rear remote
- Creeper available

### CONFIGURATIONS:

- Cab or non-cab, 2WD/MFD
- Low-profile/poultry

<sup>1</sup>Rated Engine HP at 2,300 RPM



# BETTER

**DELUXE** MEDIUM UTILITY

## UTILITY C SERIES

FARMALL UTILITY 90C / 100C / 110C / 120C | 86–117 ENGINE HP<sup>2</sup>

The Farmall utility 90C, 100C, 110C and 120C models feature full power, full comfort and full features, and they are ideal for demanding livestock duties, larger hay operations and heavy loader work.

### STANDARD FEATURES:

- 4-cylinder, 3.4-L FPT engine (Tier 4 B/Final)
- 12×12 power shuttle transmission
- Two rear remotes
- Instructor seat (cab configurations)
- Bluetooth radio (cab configurations)
- 4339 lb. rear hitch lift capacity
- 540 PTO only

### OPTIONAL FEATURES:

- 12×12 power shuttle transmission with creeper
- 24×24 hi-lo transmission
- 540/1000 PTO (standard on 120C)
- Third rear remote
- High visibility roof panel (cab configurations)

### CONFIGURATIONS:

- Cab or non-cab, 2WD/MFD

<sup>2</sup>Rated Engine HP at 2,300 RPM



# BEST

**PREMIUM** LARGE UTILITY

## VESTRUM

VESTRUM 100 / 130 | 100–130 ENGINE HP<sup>3</sup>

The Vestrum series tractors combine maneuverability with premium cab comfort in a compact design while providing you with over 100 engine horsepower to accomplish a wide variety of tasks. Powered by a 4-cylinder engine that delivers more low-speed torque and better engine responsiveness.

### STANDARD FEATURES:

- 4-cylinder, 4.5L turbocharged FPT engine (Tier 4 B/Final–stage V)
- ActiveDrive 8 Dual-Clutch Transmission (creeper optional)
- Two mechanical, one electronic rear remotes
- Instructor seat
- High visibility roof panel
- Bluetooth radio
- 6700 lb. rear hitch lift capacity
- 540/540E/1000 rear PTO speeds

### OPTIONAL FEATURES:

- CVXDrive continuously variable transmission
- Two mechanical, two electronic rear remotes
- Front 3 point hitch and PTO
- Suspended front axle

### CONFIGURATIONS:

- Cab MFD

<sup>3</sup>Rated Engine HP at 2200 RPM



**CASE IH**



**ASK US  
ABOUT** **0%**  
FINANCING  
OPTIONS\*

ON NEW FARMALL® 100A PRO TRACTORS

# FARMALL

## 100A PRO SERIES TRACTORS

Farmall 110A – 140A Pro

### KEY FEATURES

- 4-cylinder, 4.5-L FPT engine (Tier 4 B/Final)
- No Diesel Particulate Filter or regeneration required
- Standard 8×8 clutchless power shuttle transmission, optional 16×8 power shuttle with hi-lo gear selection
- Two rear remotes standard, plus two more optional
- Radio (cab configurations)
- Instructor seat (optional on cab configurations)
- High visibility roof panel (optional on cab configs.)

### FARMALL 100A PRO SERIES TRACTORS

MODELS	PTO HP <sup>1</sup>
110A (cab)	92
120A (non-cab & cab)	102
130A (cab)	112
140A (non-cab & cab)	118

<sup>1</sup> PTO HP at 2,200 RPM

**CONTACT US TODAY!**  
[www.caseih.com/specialoffers](http://www.caseih.com/specialoffers)

\*For commercial use only. Customer participation subject to credit qualification and approval by CNH Industrial Capital America LLC. See your participating Case IH dealer for details and eligibility requirements. Dealer participation is required. Down payment may be required. Not all customers or applicants may qualify for this rate or term. CNH Industrial Capital America LLC. standard terms and conditions will apply. Offer subject to change or cancellation without notice.





**ASK US  
ABOUT** **0%**  
FINANCING  
OPTIONS\*  
ON SELECT CASE IH HAY TOOLS

# HAY TOOLS

## ROUND BALERS

- Combination of belts and rolls form consistent, dense bales
- Large pick up width allows you to pick up wider, fuller windrows to maximize your productivity in every pass

MODELS	BALE WIDTH/DIAMETER
RB455A Utility	46.5 in. / 36–60 in.
RB455	46.5 in. / 36–60 in.
RB465	46.5 in. / 36–72 in.
RB565	61.5 in. / 36–72 in.

## DISC MOWER CONDITIONERS

- 0.95"–3.2" cutting height
- Quick-change knives
- Easily access the cutterbar to make adjustments or repairs
- 3-Year Cutterbar Factory Warranty

MODELS	CUTTERBAR WIDTH
DC93	9 ft. 2 in.
DC103	10 ft. 4 in.
DC133	13 ft.
DC163	16 ft. 3 in.

**CONTACT US TODAY!**  
[www.caseih.com/specialoffers](http://www.caseih.com/specialoffers)

\*For commercial use only. Customer participation subject to credit qualification and approval by CNH Industrial Capital America LLC. See your participating Case IH dealer for details and eligibility requirements. Dealer participation is required. Down payment may be required. Not all customers or applicants may qualify for this rate or term. CNH Industrial Capital America LLC. standard terms and conditions will apply. Offer subject to change or cancellation without notice.

# STAY POWERED UP AND SAVE INSTANTLY

To see all offers, visit  
[MYCNHISTORE.COM/EVENT](https://mycnhistore.com/event)



## \$50 OFF<sup>1</sup>

the purchase of a new  
Case IH 3600W Inverter

Now through September 30, 2022.



## \$30 OFF<sup>1</sup>

Schumacher® DSR145  
Benchtop Chargers

Now through September 30, 2022.



## \$100 OFF<sup>1</sup>

Schumacher DSR164  
Jump Starters

Now through September 30, 2022.

**Discounts given as a line item discount on the customer invoice at the point of sale. Offers apply to eligible products purchased from participating Case IH dealers. See your participating Case IH dealer for details and eligibility requirements. Offers are nontransferable. Offers subject to change or cancellation by CNH Industrial at its discretion.**

<sup>1</sup>Offers apply to eligible products purchased between 7/1/2022 and 9/30/2022.

<sup>2</sup>Subject to credit approval. Terms and conditions apply. Ask an associate for details.

©2022 CNH Industrial America LLC. All rights reserved. Case IH, CNH Industrial Capital and Productivity Plus are trademarks registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. CNH Industrial Genuine Parts is a trademark in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH Industrial America LLC., are the property of those respective companies. Productivity Plus is licensed or sublicensed to Citibank, N.A. in the United States and to Citi Cards Canada Inc. in Canada.



# GENUINE SERVICE YOU CAN COUNT ON

Improve your equipment's performance and longevity with scheduled maintenance performed by our Case IH certified technicians.

#### Qualified Technicians

Our certified technicians are trained on advancements in repair, maintenance and technology to identify problems to prevent downtime.

#### Maximize Performance

Only we can provide you with genuine parts, fluids and filters specifically designed for your equipment – maintaining uptime and protecting your investment.

#### Industry-Leading Warranty

Need parts? Need labor? We cover both. When your new or remanufactured parts are installed by us, you'll be protected by our industry-leading coverage for both parts and labor.

## 120 DAYS SPECIAL FINANCING<sup>2</sup>

on qualifying purchases of \$5,000 or more upon an equipment inspection using a Productivity Plus<sup>®</sup> Account.

Now through September 30, 2022.



# GETTING THE JOB DONE STARTS WITH CHOOSING THE RIGHT FARMALL

Case IH Farmall® series tractors continue in the tradition of versatile, hard working machines that make every dollar work as hard as you do. No matter what your operation demands, you'll find the right fit with one of the value-packed Farmall A series tractors or deluxe Farmall C series tractors. And with Farmall, you never have to choose value over quality. Every tractor is versatile, durable, easy-to-use and won't break your budget.

FIND YOUR RIGHT TRACTOR IN 4 SIMPLE STEPS  
[caseih.com/rightredtractor](https://www.caseih.com/rightredtractor)



Scan to find your right red tractor



CONTACT YOUR LOCAL CASE IH DEALER

## VISIT [WWW.CASEIH.COM](https://www.caseih.com) TO LOCATE THE CASE IH DEALER NEAR YOU.

    [caseih.com](https://www.caseih.com)

©2022 CNH Industrial America LLC. All rights reserved. Case IH and CNH Industrial Capital are trademarks registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH Industrial America LLC, are the property of those respective companies.

The Case IH logo, featuring the words "CASE IH" in a bold, sans-serif font with a red vertical bar to the right of the "I".